





232115 517



232125 517

LOGS 40  
PoleLOGS 70  
Pole

IP 44 L70B50

100-240V ~50/60Hz | 500mA  
Systemleistung: 10W  
Material: Aluminium



IP 44 L70B50

100-240V ~50/60Hz | 500mA  
Systemleistung: 10W  
Material: Aluminium



		A → G
232115	570lm 3000K	A 1 G D



		A → G
232125	570lm 3000K	A 1 G D



- Verbindungsbox IP68, 3-polig  
Art. Nr. 228730
- Schraubenset  
Art. Nr. 228754
- Erdspleiß  
Art. Nr. 231230
- Betonanker  
Art. Nr. 232119



- Verbindungsbox IP68, 3-polig  
Art. Nr. 228730
- Schraubenset  
Art. Nr. 228754
- Erdspleiß  
Art. Nr. 231230
- Betonanker  
Art. Nr. 232119


Variante	Art. Nr.
570lm   3000K   CRI80 ■ anthrazit	232115

Variante	Art. Nr.
570lm   3000K   CRI80 ■ anthrazit	232125



### GRAFIT 30

Pole, E27



220-240V ~50/60Hz  
Material: Aluminium / Kunststoff

- Offenes Kabelende



E27 <11W  
Ø: 6 cm L: 11,5 cm



LED E27 | 8W | 240°  
4000K | 880lm | EEK=E  
8kWh/1000h

Art. Nr. 1005290



■ Verbindungsbox IP68, 3-polig

Art. Nr. 228730

■ Schraubenset

Art. Nr. 228754


■ Erdspieß

Art. Nr. 231230

Variante	Art. Nr.
1xE27	
■ anthrazit	231215

### GRAFIT 60

Pole, E27



220-240V ~50/60Hz  
Material: Aluminium / Kunststoff

- Offenes Kabelende



E27 <11W  
Ø: 6 cm L: 11,5 cm



LED E27 | 9W | 220°  
2700K | 800lm | EEK=F  
9kWh/1000h

Art. Nr. 1005301



■ Verbindungsbox IP68, 3-polig

Art. Nr. 228730

■ Schraubenset

Art. Nr. 228754

■ Erdspieß

Art. Nr. 231230


Variante	Art. Nr.
1xE27	
■ anthrazit	231225

### GRAFIT 90

Pole, E27



NEW



220-240V ~50/60Hz  
Material: Aluminium / Acryl

- Offenes Kabelende



E27 <11W  
Ø: 6 cm L: 11,5 cm



LED E27 | 13,2W | 220°  
2700K | 1300lm | EEK=F  
13kWh/1000h

Art. Nr. 1005302



■ Verbindungsbox IP68, 3-polig

Art. Nr. 228730




■ Schraubenset

Art. Nr. 228754

■ Erdspieß




Art. Nr. 231230

Variante	Art. Nr.
1xE27	
■ anthrazit	1006184

RUSTY® SLOT 50  
Pole



220-240V ~50/60Hz  
Systemleistung: 9W  
Material: FeCSi-Stahl / Polycarbonat (PC)

- Offenes Kabelende

RUSTY® SLOT 80  
Pole

220-240V ~50/60Hz  
Systemleistung: 9W  
Material: FeCSi-Stahl / Polycarbonat (PC)

- Offenes Kabelende

RUSTY® SLOT 50  
Pole, E27

220-240V ~50/60Hz  
Material: FeCSi-Stahl / Polycarbonat (PC)

- Offenes Kabelende



233447	30lm 3000K	



233457	30lm 3000K	



E27 <11W Ø: 4,8 cm L: 13,9 cm		



LED E27 | 8W | 240°  
3000K | 880lm | EEK=E  
8kWh/1000h

Art. Nr. 1005289



■ Verbindungsbox IP68, 3-polig  
Art. Nr. 228730

■ Erdspieß  
Art. Nr. 231230



■ Verbindungsbox IP68, 3-polig  
Art. Nr. 228730

■ Erdspieß  
Art. Nr. 231230



■ Verbindungsbox IP68, 3-polig  
Art. Nr. 228730

■ Erdspieß  
Art. Nr. 231230



Variante	Art. Nr.
30lm   3000K   CRI80 ■ rost	233447

Variante	Art. Nr.
30lm   3000K   CRI80 ■ rost	233457


Variante	Art. Nr.
1xE27 ■ rost	229410





# RUSTY® SLOT 80

Pole, E27



IP 44

220-240V ~50/60Hz

Material: FeCSi-Stahl / Polycarbonat (PC)

- Offenes Kabelende



E27 <11W

Ø: 4,8 cm L: 13,9 cm



LED E27 | 8W | 240°  
3000K | 880lm | EEK=E  
8kWh/1000h



Art. Nr. 1005289



Verbindungsbox IP68, 3-polig


Art. Nr. 228730

Erdspieß

Art. Nr. 231230



Variante	Art. Nr.
1xE27	
rost	229411



233447

524



229411

525